Application/Control Number: 10/568,950 Page 2

Art Unit: 1796

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes

and/or additions be unacceptable to applicant, an amendment may be filed as provided

by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be

submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview

with Thomas Siepmann on August 28, 2008.

2. The application has been amended as follows:

a. Claim 4 is cancelled without prejudice to its further prosecution in a

continuation application.

b. In claim 1, line 2, delete ":"

c. In claim 1, line 5, delete ":"

d. In claim 1, line 6, delete ":"

e. In claim 1, line 8, replace "40°C" with -- 45°C to 100°C--

f. In claim 1, line 8, after "wherein the", add –treatment time ranges from 0.5

to 3 hours and the—

(basis for the amendment found in applicant's specification paragraph

0013)

REASONS FOR ALLOWANCE

3. The following is an examiner's statement of reasons for allowance: The claims are allowable over the closest prior art of record, Kubo (JP 58045401) and Yasumi (JP 2001-055672), because the prior art do not teach or fairly suggest treating polyamides at temperature ranges of 45°C to 100°C.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

4. Any inquiry concerning this communication or earlier communications from the examiner should be directed to AMINA KHAN whose telephone number is (571)272-5573. The examiner can normally be reached on Monday through Friday, 8:30-5.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Vasu Jagannathan can be reached on (571) 272-1119. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/568,950 Page 4

Art Unit: 1796

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information

system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Lorna M Douyon/ Primary Examiner, Art Unit 1796

/Amina Khan/ Examiner, Art Unit 1796 August 29, 2008